

Rev. 11/98 Modified PTO 1082

For Other Than A Small Entity

Attorney Docket No. UV-3 C3

Applicant(s)

Connie T. Marshall et al.

For VIDEO MIX PROGRAM GUIDE

EXPRESS MAIL CERTIFICATION

"Express Mail" mailing label number EH623269993US

Date of Deposit October 20, 1999

I hereby certify that this transmittal letter and the other papers and fees identified in this transmittal letter as being transmitted herewith are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. § 1.10 on the date indicated above and are addressed to the Hon. Assistant Commissioner for Patents, Washington, D.C. 20231.

Assistant Commissioner for Patents Washington, D.C. 20231

TRANSMITTAL LETTER FOR RULE 53(b) CONTINUING PATENT APPLICATION

Sir:

This is a request for filing a X continuation, I divisional, application of pending prior Application No. 08/974,944 filed November 20, 1997.

Transmitted herewith for filing are the X specification; X claims; abstract; declaration; power of attorney; for the above-identified patent application.

The enclosed declaration is:

	New.
X	Copy from a prior application (37 C.F.R. § 1.63(d)).
	A signed statement is attached deleting inventors named in the prior application (37 C.F.R. §§ 1.63(d)(2) and 1.33(b)).

- The entire disclosure of the prior application, from which a П copy of the declaration is supplied, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.
- The prior application, Application No. 08/974,944, filed November 20, 1997 is assigned of record to United Video Properties, Inc., 7140 South Lewis Avenue, Tulsa, Oklahoma 74136.



	AIS	O CLANSINIC	Lea i	пете	WI CII	are.						
X _s	ix (6) s	sheets of:										
	X I	Formal draw	wings	з.								
filed		Informal d e pendency					ngs wil	ll b	e			
An An	assignmer	nt of the	inver	ntio	n to							
		A check in ecording f		amo	unt c	f \$40.00	to cove	er t	he			
	- i	Please cha: n payment f this tra	of t	he r	ecor	ding fee.	A dup	lica	te co	ру		
An	associate	e power of	atto	orne	у.							
		copy of the										
The f	iling fee	has been o	:alcu	late	ed as	shown bel	.ow:					
FOR		NUMBER FILED				NUMBER EXTRA		R.F	ATE			FEE
BASIC	FEE		_						- 1		ş	760.00
TOTAL	CLAIMS	1	-	20	=	0	ж	\$	18	=	ş	0.00
INDEP	ENDENT S	1	-	3	=	0	х	\$	78	=	\$	0.00
A	MULTIPLE	DEPENDENT	CLAI	м			+	\$2	260	=	\$	0.00
									TOTA	L	\$	760.00
											_	
	A check i	n the amou ed herewit	int o	of \$_		in p	payment	of	the	filin	g fee	is
X	appropria	ication is te filing Parts, purs	fee	wil:	L be	paid in re	esponse	to:	fili: a No	ng fe	e. Th	ne Le
	The Commi	issioner is	her ed un	eby der	auth	orized to	charge	pay	yment nnect	of a	ny ado ith tl	ditional he

paper(s) transmitted herewith, or credit any overpayment of same, to Deposit Account No. 06-1075. A duplicate copy of this transmittal letter is transmitted herewith.

Please charge \$ to Deposit Account No. 06-1075 in payment of the filing fee. A duplicate copy of this transmittal letter is transmitted herewith.
Amend the specification by inserting before the first line the sentence: This is a continuation of application Serial No. 08/974,944, filed November 20, 1997, which is a continuation of application Serial No. 08/599,143, filed February 9, 1996, now U.S. Patent 5,828,420, which is a continuation of application Serial No. 08/234,060, filed April 28, 1994,

now U.S. Patent 5,502,504. --

Respectfully submitted,

Matthew T. Byrne Registration No. 40,934 Attorney for Applicants Fish & Neave 1251 Avenue of the Americas New York, New York 10020-1104 Tel.: (212) 596-9000

20

VIDEO MIX PROGRAM GUIDE

Background of the Invention

This invention relates generally to

5 interactive video communications and more particularly
concerns viewer controlled channel programming guide
displays.

Programming guide information is presently displayed to the home TV viewer in a non-interactive scroll on a single channel dedicated to programming guide information.

When the home viewer selects the programming guide channel, viewing of the channel previously selected is interrupted. While the viewer executes best judgment to when to make the change, key portions of the program on the previously selected channel may be missed. This is especially probable in cases of live programming. It is also especially irritating to the viewers not in possession of the controller.

It is, therefore, an object of this invention to provide a process and in-home scrolling hardware by which a home viewer may interactively control a channel programming guide. Another object of this invention is to provide a process and in-home scrolling hardware in which the scroll can be simultaneously superimposed on and displayed with the programming of any channel accessible to the home viewer. Another object of this invention is to provide a process and in-home scrolling hardware by which a home viewer may control the comparative weight of the programming guide or superimposed signal in relation to the basic programming signal over which it is superimposed.

10 Summary of the Invention

In accordance with the invention, a system interactively controlled by a TV viewer remote control transmitter displays a scroll program quide superimposed on the normal programming displayed on any 15 channel accessible to the viewer's display screen. A tuner receives TV radio frequency or optical transmission signals in a plurality of cable channels and passes a viewer usable signal of any selected one of the channels to a signal combiner. A computer 20 receives any of a plurality of control signals from the TV viewer remote control transmitter. It also controls the tuner to pass the viewer usable signal of any selected channel in response to one of the control signals from the TV viewer remote control transmitter. 25 It also receives and stores a scroll input picture image signal containing local program guide data and generates a scroll output picture image signal consisting of at least a portion of the scroll input picture image signal. The signal combiner combines the 30 viewer usable signal of any selected channel from the

tuner with the output picture image signal from the computer to provide a display signal with the program guide display superimposed over the channel programming display for input to the viewer's display screen. The computer is responsive to a control signal from the remote to change the weight of the superimposed signal in relation to the base or normal programming signal.

Brief Description of the Drawings

Other objects and advantages of the invention will become apparent upon reading the following detailed description and upon reference to the drawings in which:

FIG. 1 is a block diagram illustrating a preferred embodiment of the hardware of the interactive scrolling program guide;

FIG. 2 is a flow chart illustrating the basic process and options of the video mix capability of the interactive scrolling program quide;

FIG. 3 is a representation of an interactive
20 scrolling program guide menu display;

FIG. 4 is a representation of an interactive scrolling program guide display in a video mix mode;

FIG. 5 is a representation of the interactive scrolling program guide display in a solid or one

25 hundred percent programming guide condition relative to the base signal;

FIG. 6 is a representation of the interactive scrolling program guide display in a ninety percent programming guide condition relative to the base

30 signal;

FIG. 7 is a representation of the interactive scrolling program guide display in an eighty percent programming guide condition relative to the base signal;

FIG. 8 is a representation of the interactive scrolling program guide display in a seventy percent programming guide condition relative to the base signal; and

FIG. 9 is a representation of the interactive scrolling program guide display in a sixty percent programming guide condition relative to the base signal.

While the invention will be described in connection with a preferred embodiment and process, it will be understood that it is not intended to limit the invention to that embodiment or process. On the contrary, it is intended to cover all alternatives, modifications and equivalents as may be included within the spirit and scope of the invention as defined by the appended claims.

Detailed Description of the Invention

Turning first to FIG. 1, the components of the interactive scroll program guide are illustrated. A computer 11 having a command information receiver, 25 preferably an infrared or radio frequency receiver 13, provides a control signal 15 to a tuner 17 and a picture image signal 19 to a digital video board 21. The tuner 17 converts or demodulates radio frequencies or optical transmissions to a signal usable by the viewer to output a signal 23 selected from a plurality

of signals 25 input to the tuner 17 from the cable source (not shown), typically frequency division multiplexed video, audio and data signals transmitted via a coaxial cable, over-the-air radio frequencies or 5 fiber optics. The digital video board 21 converts digital data into a video signal. The tuner output or base programming signal 23 has superimposed thereon a scroll information picture image signal 27 from the digital video board 21 in a genlock signal combiner or 10 overlayer 29. The combined scroll and TV picture signal 31 is then displayed on a video signal display device such as the display screen 33 of the viewer's television. The combiner 29 permits the viewer to select the weight of the scroll information picture 15 signal 27 in relation to the base programming signal 23. The viewer sends commands to the receiver 13 to control the operation of the computer 11 by the use of a remote control transmitter, preferably an infrared or radio frequency transmitter 35. The computer 11 is 20 based on microprocessor and may utilize random access (RAM) and/or read only (ROM) memory. The software necessary to operate the microprocessor may be embedded in the device or downloaded via the cable system to the device.

25 The above described interactive scroll program guide components operate in response to the control of the computer 11. As shown in FIG. 2, while the home viewer is watching programming presented on his display 33 in response to the tuner 17 feeding any basic program signal 23 from the input selections 25 to the genlock combiner 29, the viewer may opt to

simultaneously view the programming guide scroll available to the combiner 29 from the computer 11 through the digital video board 21. The viewer simply presses a predetermined key on the remote 35 to select 5 the program guide display as is illustrated in FIG. 3. As shown in FIG. 3, the program guide nomenclature (Prgm Guide) will appear on the screen between arrows indicating upward or downward menu access to the possible choices in the program guide routine. By use 10 of the up and down arrows on the controller 35, the program guide menu can be manipulated to the "video mix" condition, illustrated as step 51 in the routine of FIG. 2. The visual appearance of the viewer's display 33 in the "video mix" condition is illustrated 15 in FIG. 4. Upon "user selection of video mix" 51, the computer 11 routine inquires as to whether or not there has been a key pressed 53 requesting that the weight of the program guide signal 27 be changed in relation to the basic programming signal 23. If the answer to this 20 inquiry is "NO", routing proceeds through a path 55 to continue the "key pressed" inquiry 53. If the response to the "key pressed" inquiry 53 is "YES", the routine continues to a "user exit" inquiry 57. If the viewer has opted to exit the video mix routine, a "YES" 25 response to the "user exit" inquiry 57 will result in a "return to the previous menu" 59. If, however, the response to the "user exit inquiry" 57 is "NO", the routine continues to a new mix selection inquiry 61. If the response to the "new mix selection" inquiry 61 is "NO", the routine returns via the route 55 to the

original "key pressed" inquiry 53. If the answer to

the "new mix selection" inquiry 61 is "YES", the routine proceeds through the calculate hardware parameters step" 63 and the "set hardware to new level" step 65, at which point the genlock combiner 29 automatically performs these functions to establish the weight of the program guide signal 27 superimposed by the genlock combiner 29 over the basic programming signal 23. When the hardware is set to its new level 65, the routine continues through the path 55 to the 'key pressed" inquiry 53 to determine whether the viewer has again selected a different percentage of signal mix.

FIGS. 5 through 9 illustrate the solid or one hundred percent video mix, ninety percent video mix, eighty percent video mix, seventy percent video mix and sixty percent video mix, respectively, the percentage indicating the weight the programming guide signal 27 superimposed on the basic programming signal 23.

If the video mix routine is exited and later reselected, the weight of the programming guide signal 27 will automatically be the weight last opted by the viewer.

Thus, each individual viewer will be provided with a scroll program guide in which the home viewer can interactively determine whether the program guide scroll should be displayed and, if so, its weight relative to the basic program data.

Thus, it is apparent that there has been provided, in accordance with the invention, a video mix program guide that fully satisfies the objects, aims and advantages set forth above. While the invention

has been described in conjunction with specific embodiments thereof, it is evident that many alternatives, modifications and variations will be apparent to those skilled in the art and in light of the foregoing description. Accordingly, it is intended to embrace all such alternatives, modifications and variations as fall within the spirit of the appended claims.

What is claimed is:

1. A system interactively controlled by a user remote control for displaying a program guide on a display screen, comprising:


circuitry for receiving television signals corresponding to a plurality of television channels and for selecting a corresponding one of the plurality of television channels to display on said display screen;


circuitry for receiving program guide data for the program guide; and

circuitry for displaying the program guide with a perceived transparency on the selected television channel.

Abstract of the Disclosure

A system interactively controlled by a TV viewer remote superimposes portions of a scroll program guide over a basic programming signal for display on 5 the viewer's display screen. A tuner has an input for receiving TV signals in a plurality of cable channels and an output for passing a signal of any selected one of said channels. A computer has an input for receiving any of a plurality of control signals from 10 the TV viewer remote and an output for controlling the tuner to pass the signal of the selected one of the channels in response to one of the plurality of control signals from the TV viewer remote. The computer receives and stores a scroll input picture image signal 15 containing local program guide data and generates a scroll output picture image signal consisting of at least a portion of the scroll input picture image signal. A combiner superimposes output picture image signal over the passed signal to provide a display 20 signal for input to the viewer's display screen. The computer is responsive to control signals from the remote to cause the combiner to change the weight of the output picture image signal in relation to the passed signal.








Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9

- 11 -

UV-3 C2

DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name;

I believe I am an original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

VIDEO MIX PROGRAM GUIDE

the specification of which

- [] is attached hereto
- [X] was filed on November 20, 1997 as Application Serial No. 08/974,944 .
- I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims.
- I do not know and do not believe that the invention was ever patented or described in any printed publication in any country before my or our invention thereof or more than one year prior to this application.
- I do not know and do not believe that the invention was in public use or on sale in the United States of America more than one year prior to this application.
- I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known by me to be material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56.
- I hereby claim foreign priority benefits under Title 35, United States Code, § 119(a)-(d) of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)

Priority Claimed

(Number) (Country)

(Filing Date)

[][] (es No

I hereby claim the benefit under Title 35, United States Code § 119(e) of any United States provisional application(s) listed below.

(Application Serial No.) (Filing Date)

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known by me to be material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

08/599,143 (Application Serial No.) 2/9/96 (Filing Date) pending
(Status) (patented,
pending, abandoned)

08/234.060 (Application Serial No.) 4/28/94 (Filing Date) patented
(Status) (patented,
pending, abandoned)

As a named inventor, I hereby appoint the following attorneys or agents to prosecute this application and transact all business in the United States Patent and Trademark Office connected therewith:

Robert C. Morgan, Reg. No. 30,199
Joseph M. Guiliano, Reg. No. 36,539
G. Victor Treyz, Reg. No. 36,294

Send correspondence to: G. Victor Trevz

G. Victor Treyz FISH & NEAVE

1251 Avenue of the Americas New York, New York 10020-1104 Direct telephone calls to: G. Victor Treyz (212) 596-9000

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full name of first inventor Connie T. Marshall
First Inventor's signature Cannie 7. March 4-23-9
Residence <u>2991 S. Woodland Road, Muskogee, Oklahoma</u> 74401
Citizenship United States Post Office Address 2991 S. Woodland Road, Muskogee, Oklahoma 74401
Full name of second inventor Thomas R. Lemmons
Second Inventor's signature // 4-23-98 Date
Residence Route 2, Box 332-47, Coweta, Oklahoma 74429 Citizenship United States Post Office Address Route 2, Box 332-47, Coweta,

Oklahoma 74429

Full name of third inventor Donald W. Allison

Third Inventor's signature

1**/-3/**9 Date

Residence 3411 S. 132 E. Avenue, Tulsa, Oklahoma 74134 Citizenship United States Post Office Address 3411 S. 132 E. Avenue, Tulsa, Oklahoma 74134